




5300 Series

Pressure Regulator

PRODUCT DATA



Information

Pressure regulator reduces gas pressure, is highly stored in bottle, to required usage pressure and keeps in balance.

Materials

Body	: Brass
Cap	: Brass
Handle	: PA6
Clamp	: Ductile Iron Castings

Reference Standards

ISO 2503 : Gas welding equipment - Pressure regulators and pressure regulators with flow-metering devices for gas cylinders used in welding, cutting and allied processes up to 300 bar (30 MPa)

ISO 5171 : Gas welding equipment – Pressure gauges used in welding, cutting and allied processes

ISO 9539 : Gas welding equipment - Materials for equipment used in gas welding, cutting and allied processes

ISO 9090 : Gas tightness of equipment for gas welding and allied processes.

Technical Specifications

Product	Gas Type	Standard	Inlet Connection	Outlet Connection	Inlet Pressure	Outlet Pressure	Flow Rate
5330S-STC	Nitrogen	EN ISO 2503	Ø21,7x1,814"	G 3/8"	0-230 bar	0-4 bar	max. 40 m ³ /h
5331S-STC	Nitrogen	EN ISO 2503	Ø21,7x1,814"	G 3/8"	0-230 bar	0-10 bar	max. 150 m ³ /h
5350S-STC	CO ₂	EN ISO 2503	Ø21,7x1,814"	G 3/8"	0-230 bar	-	0-21 l/min

Cautions

Without our company's control or information, any change shouldn't have done on pressure regulator. Please read user manual carefully before using the product.